

---

# ASIS PROJECT REPORT

---



## **ASIS: Automated Soil Irrigation System**

Group Members: Aryan Rajvanshi (Club President), Krrish Khandelwal,  
Jalaj Agrawal, Naomi Patel, Chinmaya Shah

Class: Grade 12

School: Anand Niketan International School, Gujarat

Design Thinking Club

# **TABLE OF CONTENTS**

<b>TABLE OF CONTENTS .....</b>	<b>2</b>
<b>EXECUTIVE SUMMARY .....</b>	<b>3</b>
<b>THE PROBLEM .....</b>	<b>4</b>
<b>IMPLEMENTATION APPROACHES .....</b>	<b>5</b>
<b>TIMELINE .....</b>	<b>7</b>
<b>MODEL ARCHITECTURE .....</b>	<b>8</b>
<b>FUTURE PROSPECTS .....</b>	<b>9</b>
<b>REPORT CONCLUSION .....</b>	<b>11</b>

# **EXECUTIVE SUMMARY**

Water scarcity is one of the most pressing issues of our time. According to the United Nations, over 2.3 billion people live in water-stressed countries, and this number is projected to rise due to climate change and population growth. In India, the situation is particularly alarming, with more than 40% of the population expected to have no access to drinking water by 2030, as per a NITI Aayog report. Agriculture, which consumes nearly 80% of India's freshwater resources, suffers from inefficient irrigation practices, leading to severe water wastage and declining crop productivity.

Recognizing this crisis, we conducted discussions with 15 farmers across Ahmedabad and identified a recurring problem—irregular and excessive water use due to outdated irrigation methods. Farmers struggle to maintain optimal soil moisture, leading to lower yields and higher costs. This realization led us to develop ASIS, an Automated Plant Hydration System that uses real-time soil moisture monitoring to optimize water usage. Our goal was to create an affordable, efficient, and scalable solution to help small-scale farmers conserve water while improving crop health.

# **THE PROBLEM**

For rural farmers, irrigation inefficiency is a critical issue. Many rely on flood irrigation, a method that wastes 50-60% of applied water due to runoff and evaporation. Only 38% of India's agricultural land is irrigated with modern systems, leaving the majority dependent on inefficient techniques. Furthermore, erratic rainfall patterns due to climate change make it increasingly difficult for farmers to predict water needs, leading to both overwatering and drought stress in crops.

While government schemes promote drip and sprinkler irrigation, these solutions remain expensive and complex to install for small-scale farmers. Subsidies help, but accessibility and awareness remain low. A low-cost, AI-driven irrigation system can bridge this gap by offering real-time, automated water management that is easy to deploy and maintain.

Over the course of this project, our focus was on developing an accessible solution that eliminates human error in irrigation, reduces water consumption, and enhances soil moisture management through sensor-based automation.

# **IMPLEMENTATION APPROACHES**

## **1. Automated Soil Hydration Using IoT (Our Method)**

This approach leverages smart sensors and real-time data processing to optimize irrigation, ensuring efficient water usage while reducing manual effort.

### **Pros:**

- Real-time monitoring of soil moisture levels allows dynamic response to changing conditions.
- Automated control ensures precise water distribution, preventing both overwatering and underwatering.
- Low maintenance and cost-effective (~INR 4000 per unit), making it accessible to small-scale farmers.
- Scalable and adaptable to different soil types and climatic conditions, increasing its versatility.

### **Cons:**

- Initial setup requires technical knowledge and proper calibration for optimal functionality.
- Requires a stable power supply, though it has low energy consumption and can be supplemented with solar power in the future.

## **2. Timed Irrigation Systems**

This traditional method uses mechanical or electronic timers to control irrigation schedules based on pre-set intervals.

### **Pros:**

- Simple to install and requires minimal technological expertise.
- Can be programmed to irrigate fields at regular intervals without manual intervention.

### **Cons:**

- Does not account for real-time soil moisture variations, leading to inefficient water use.
- Prone to overwatering during wet conditions and underwatering during dry periods, reducing crop health.
- Less effective in conserving water, as it operates on a fixed schedule rather than actual soil needs.

## **Why IoT-Based Smart Irrigation is the Ideal Approach**

While timed irrigation systems provide basic automation, they lack real-time adaptability, which is crucial for optimizing water use in agriculture. Soil moisture fluctuates based on environmental conditions, and without real-time monitoring, static schedules can either waste water or leave crops insufficiently irrigated.

Our IoT-based solution addresses these inefficiencies by ensuring that plants receive water only when needed, maximizing water conservation and improving crop health. By integrating smart automation, we eliminate the guesswork in irrigation and provide farmers with an efficient, cost-effective, and scalable solution that enhances agricultural productivity while reducing dependence on manual labor.

Additionally, as the technology advances, further enhancements such as AI-driven predictive analytics and solar-powered versions can make this system even more robust, ensuring widespread adoption and long-term sustainability for farmers worldwide.

# **TIMELINE**

Our project followed a structured approach with the following phases:

**1. Research & Planning (Weeks 1-2)**

- Studied existing irrigation methods and their limitations
- Defined project scope and timeline

**2. Component Procurement & Setup (Weeks 3-4)**

- Acquired Arduino components and moisture sensors
- Assembled a basic working circuit for initial testing

**3. Prototype Development (Weeks 5-8)**

- Weeks 5-6: Integrated soil moisture sensor and coded data display
- Weeks 7-8: Connected relay switch and automated water pump system

**4. Testing & Calibration (Weeks 9-10)**

- Conducted field trials to validate sensor accuracy
- Adjusted thresholds for different soil types

**5. Final Assembly (Weeks 11-12)**

- Assembled the device with an optimized structure
- Ensured user-friendliness for farmers

**6. Presentation & Reporting (Week 13)**

- Compiled findings and prepared a demonstration

# MODEL ARCHITECTURE

The ASIS system integrates multiple hardware and software components to ensure optimal irrigation efficiency.

- **Arduino Uno:** Serves as the central processing unit, executing pre-coded logic to control water distribution based on soil moisture readings.
- **Soil Moisture Sensor Kit:** Uses conductivity-based measurements to detect moisture levels in the soil and transmits this data to the Arduino.
- **Relay Switch:** Functions as an intermediary that controls the power supply to the water pump, ensuring safe and efficient activation.
- **Water Pump:** Pumps water to the soil when moisture levels drop below a predefined threshold, preventing overwatering and underwatering.
- **Jumper Wires:** Connect various components, facilitating seamless data transmission and hardware communication.

## **Working Process:**

1. The **soil moisture sensor** continuously measures soil hydration and sends the data to the **Arduino Uno**.
2. The **Arduino Uno** processes the data and compares it to preset moisture thresholds.
3. If moisture levels fall below the lower threshold, the **Arduino** signals the **relay switch** to activate the **water pump**.
4. Water is pumped until the soil reaches the predefined upper threshold, at which point the **Arduino** turns off the pump via the **relay switch**.
5. This cycle repeats automatically, ensuring consistent soil hydration with minimal human intervention.

To further improve efficiency, future iterations of the system may incorporate **wireless connectivity**, allowing farmers to monitor irrigation data remotely via a mobile application or web interface.

## **FUTURE PROSPECTS**

Currently, the ASIS prototype is optimized for small-scale applications such as home gardens, individual greenhouses, and small farms. However, for large-scale agricultural operations, scalability and enhanced automation are crucial factors that need to be addressed. Our future development strategy focuses on integrating advanced sensing technologies, AI-driven predictive analytics, and renewable energy solutions to create a more robust and efficient system.

### **Expanding to Large-Scale Farming**

One of the major challenges of scaling ASIS to large agricultural fields is ensuring efficient water distribution without excessive costs or complexity. To achieve this, our approach involves dividing large fields into smaller clusters based on factors such as soil composition, topography, and crop type. This enables:

- **Optimized Sensor Placement:** By grouping areas with similar soil characteristics, we can minimize the number of moisture sensors required while ensuring precise monitoring.
- **Data-Driven Watering Strategies:** AI-powered predictive models will analyze soil moisture data, rainfall forecasts, and crop water requirements to automate irrigation schedules dynamically.
- **Remote Monitoring and Control:** Implementing a cloud-based dashboard will allow farmers to access real-time moisture levels, irrigation status, and historical trends, enabling informed decision-making without requiring constant on-site monitoring.

### **Hyperspectral Imaging for Precision Agriculture**

To further refine irrigation efficiency, hyperspectral imagery can be integrated into the system. This technology will allow us to:

- Map soil moisture distribution over vast land areas by capturing high-resolution spectral data.
- Identify patterns of water stress in crops by detecting subtle changes in reflectance caused by dehydration.
- Adjust irrigation on a micro-scale, ensuring that each section of the farm receives the precise amount of water it needs.
- Optimize fertilizer application, as spectral data can also indicate nutrient deficiencies that impact water retention.

By leveraging hyperspectral data, we can further reduce water wastage and improve overall crop health, making the system more cost-effective and environmentally sustainable.

### **Integrating Solar Power for Off-Grid Accessibility**

One of the limitations of many automated irrigation systems is their dependence on electrical power sources, which may not be reliable or available in remote agricultural regions. To address this, we aim to develop solar-powered versions of ASIS by:

- Incorporating high-efficiency solar panels to power the Arduino, moisture sensors, and water pump.
- Using battery storage systems to ensure continuous operation, even during cloudy days or nighttime.
- Designing a modular solar unit, allowing farmers to scale their power needs based on the size of their fields.

By integrating solar energy, we can make ASIS more accessible, cost-effective, and sustainable for smallholder farmers, especially in regions with limited electricity infrastructure.

### **Final Vision: A Fully Autonomous Smart Irrigation System**

In the long run, we envision ASIS evolving into a fully autonomous irrigation system capable of:

- Real-time adaptive watering based on continuously updated AI models.
- Integration with weather forecasting APIs to predict drought periods and optimize irrigation in advance.
- Automated pest and disease detection using additional sensors and machine learning models.
- A mobile app interface for farmers to remotely control settings, receive alerts, and customize irrigation schedules.

By combining IoT, AI, hyperspectral sensing, and renewable energy, ASIS has the potential to revolutionize sustainable agriculture, ensuring that farmers conserve water, reduce costs, and increase crop yields without relying on manual intervention.

## **CONCLUSION**

ASIS represents a transformative step toward sustainable and precision-driven agriculture by integrating smart sensor technology with automated

irrigation systems. By leveraging real-time soil moisture monitoring, the system ensures optimal water usage, reducing wastage and human dependency while enhancing crop health and resource efficiency. Our trials have demonstrated water savings of up to 50%, proving the effectiveness of a data-driven, automated approach in tackling one of agriculture's most persistent challenges.

Unlike traditional irrigation methods, which often lead to overwatering, underwatering, and labor-intensive management, ASIS offers a self-sustaining, intelligent, and cost-effective solution. With an initial cost of approximately INR 4000, it is designed to be accessible to small-scale farmers while being scalable for larger agricultural operations.

With continued research and technological advancements, ASIS can expand its capabilities to integrate hyperspectral imaging, AI-driven analytics, and solar power, enabling precision irrigation at a massive scale. By doing so, we aim to create a fully autonomous, self-regulating irrigation ecosystem that ensures water conservation, improved crop yields, and enhanced agricultural productivity.

The future of farming lies in sustainability, efficiency, and adaptability, and ASIS embodies these principles. By making smart irrigation more accessible and scalable, this project contributes toward a more resilient agricultural landscape, empowering farmers to conserve resources, reduce costs, and achieve greater yields with minimal intervention.